

COFC

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

U.S. Patent No. : 6,861,107 B2

Serial No. : 10/611,854

Filed : July 3, 2003

Issued : March 1, 2005

For : PIPES FOR CONVEYING DRINKING WATER

Certificate
JUN 23 2005
of Correction

**PETITION FOR CERTIFICATE OF CORRECTION
PURSUANT TO 37 C.F.R. § 1.322 OR § 1.323**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Applicants hereby request that the above-identified U.S. patent be corrected in accordance with the attached Certificate of Correction.

I. C.F.R. § 1.322

- ☒ The mistake was incurred through the fault of the Patent and Trademark Office and is clearly disclosed in the records of the Office. Therefore, no fee is due.

II. C.F.R. § 1.323

- ☐ The mistake(s) was/were made by applicant. Therefore, a check in the amount of \$130.00 in payment of the fee set forth in 37 C.F.R. § 1.20(a) is enclosed herewith.


Enclosed herewith is a Form PTO-1050 (in duplicate) listing an error that has been found in the above-identified patent. The error is of a clerical or typographical nature or of minor

JUN 23 2005

character and was made in good faith. The requested correction does not constitute new matter or require reexamination.

III. Accordingly, patentees and their assignee respectfully request that the Patent and Trademark Office issue a Certificate of Correction pursuant to 37 C.F.R. § 1.322 or § 1.323, respectively.

Respectfully submitted,



John A. Sopp, Reg. No. 33,130
Attorney/Agent for Patentee

MILLEN, WHITE, ZELANO
& BRANIGAN, P.C.
Arlington Courthouse Plaza 1
2200 Clarendon Blvd. Suite 1400
Arlington, Virginia 22201
Telephone: (703) 243-6333
Facsimile: (703) 243-6410

Attorney Docket No.: MERCK-2718

Date: June 16, 2005

JUN 23 2005

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 6,861,107 *B2*

DATED : March 1, 2005

INVENTOR(S) : Matthias Bremer

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 17, line 63, delete [P^2] and insert -- $-P^2$ --

Column 18, line 6, delete [.] and insert -- , --

Column 19, line 33, delete [-OCH₂] and insert -- -OCH₂ --

Column 20, line 67, delete [formulae] and insert -- formula --

MAILING ADDRESS OF SENDER:

Millen, White, Zelano & Branigan, P.C.
2200 Clarendon Blvd, Suite 1400
Arlington, VA 22201

PATENT NO. 6,861,107 *B2*

No. of additional copies



Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

JUN 23 2005